

# M. P. MÖLLER Organ Factory

*Slip*

Pipe Organ No. 7909 Date July 12, 1948  
 For ST. JOHN'S EPISCOPAL CHURCH, MEMPHIS, TENNESSEE  
 Action Electro-pneumatic Console Detached  
 Casing No. None Finish As per sample  
 Decorations None Motor 10 H.P., Style 4-P-3330  
 Width of Key-bed Standard Stops & inter-man. coup. by drawknobs.  
 No. Manuals Three Stop Controls Intra-man. coup. by til-  
 To be Completed December 25, 1949. Wind Pressure Gt. 4"; Sw. 4"; Ch. 4", 7";  
 Blower Pipe furnished by Purchaser

**PITCH**  
**GENERAL**

A-440  
 The church, at its expense, to make preparations in the building for the organ, from plans by M. P. Moller, Inc.

**SPECIFICATIONS**

Great Organ

- |    |         |  |
|----|---------|--|
| 1  | 16'     | Diapason.....(console only)                          |
| 2  | 8'      | Diapason I.....(console only)                        |
| 3  | 8'      | Diapason II.....46.....12 Zinc...S.M.....73 pipes    |
| 4  | 8'      | Hohlflöte.....Reg. Hohlflöte, Mel. Bass.....73 pipes |
| 5  | 8'      | Gemshorn.....50-2/3.....12 Zinc...S.M.....73 pipes   |
| 6  | 4'      | Principal.....(console only)                         |
| 7  | 4'      | Octave Flute.....(console only)                      |
| 8  | 2-2/3'  | Twelfth.....(console only)                           |
| 9  | 2'      | Fifteenth.....(console only)                         |
| 10 | IV Rks. | Mixture.....(console only)                           |
| 11 | 8'      | Tromba.....(console only)                            |
| 12 | 4'      | Clárlon.....(console only)                           |

Swell Organ

- |    |          |  |
|----|----------|--|
| 13 | 16'      | Bourdon.....(console only)                       |
| 14 | 8'       | Diapason.....(console only)                      |
| 15 | 8'       | Rohrflöte.....(console only)                     |
| 16 | 8'       | Salicional.....54.....12 Zinc...S.M.....73 pipes |
| 17 | 8'       | Voix Celeste.....(console only)                  |
| 18 | 4'       | Flute Harmonic.....60.....S.M.....73 pipes       |
| 19 | 4'       | Principal.....(console only)                     |
| 20 | 2'       | Fifteenth.....(console only)                     |
| 21 | III Rks. | Mixture.....(console only)                       |
| 22 | 16'      | Double Trumpet.....(console only)                |
| 23 | 8'       | Trumpet.....3-3/4".....73 pipes                  |
| 24 | 8'       | Houtboy (Oboe).....(console only)                |
| 25 | 4'       | Clarion.....(console only)                       |
| 26 |          | Tremolo  |

Choir Organ

27	8'	Gamba.....(console only)
28	8'	Dulciana.....(console only)
29	8'	Unda Maris.....(console only)
30	8'	Concert Flute.....(console only)
31	4'	Dulcet.....(console only)
32	4'	Octave Flute.....(console only)
33	8'	Clarinet.....(console only)
34	8'	English Horn.....(console only)
35	8'	Tuba.....(console only)
36		Tremolo

Pedal Organ

37	16'	Diapason.....(console only)	
38	16'	Bourdon.....Reg. Ped. Bdn.....	32 pipes
39	16'	Dulciana.....(console only)	
40	8'	Octave.....(console only)	
41	8'	Flute.....from #4.....	32 notes
42	4'	Octave Flute.....(console only)	
43	16'	Trombone.....(console only)	
44	8'	Tromba.....(console only)	
45	4'	Clarion.....(console only)	

Couplers

46	* Great to Pedal	59	* Swell 16'
47	* Swell to Pedal	60	* Swell 4'
48	Swell to Pedal 4'	61	* Great 16'
49	Choir to Pedal	62	* Great 4'
50	* Swell to Great	63	Choir 16'
51	* Swell to Great 16'	64	Choir 4'
52	* Swell to Great 4'	65	* Swell Unison Off
53	Choir to Great	66	* Great Unison Off
54	Choir to Great 16'	67	Choir Unison Off
55	Choir to Great 4'		
56	Swell to Choir		
57	Swell to Choir 16'		
58	Swell to Choir 4'		

Adjustable Combinations

Pistons No. *1-*2-*3-4-5-6-7-8	For Stops of Swell Organ
Pistons No. *1-*2-*3-4-5-6-7-8	For Stops of Great Organ
Pistons No. 1-2-3-4-5-6-7-8	For Stops of Choir Organ

Adjustable Combinations (Cont'd)

Pistons No. *1-*2-*3-4-5-6-7-8	For Stops of Pedal Organ (duplicated by toe studs only)
Pistons No. *1-*2-*3-4-5-6-7-8	For Stops and couplers of Full Organ
General Cancel Piston	

Pedal Movements

- \* Swell Expression Pedal, with indicator light
- \* Choir Expression Pedal, with indicator light to operate Great shades until Choir Organ is installed.
- Crescendo Pedal, with indicator light (to be installed but not connected with first part of organ)
- Sforzando Pedal, with indicator light (duplicated by manual piston)
- \* Great to Pedal, Reversible (Duplicated by manual piston)
- \* Swell to Pedal, Reversible (Duplicated by manual piston)
- Choir to Pedal, Reversible (Duplicated by manual piston)
- All Swells to Swell, Reversible (pedal piston and tablet on combinations)

Accessories

- \* Organ Bench with Music Compartment
- \* Concave and Radiating Pedal Clavier
- \* Electric motor, blower and organ action power unit of ample capacity for complete organ of 42 stops.

NOTE: Stops and other console equipment Not Marked with an \* are Not to be made workable now; though they are to be installed for future additions to the organ.

\* Indicates sets of pipes and stops, couplers, combination pistons, Pedal Movements, and Accessories to be made playable and workable with the first part of the organ.

Three manual console to be installed with first part of the organ.

JHH: jr  
3/31/49